

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1 (previously presented): A serine protease inhibitor
compound of formula (I)

$$R_2$$
 X Y L L $P(D)_m$

(I)

wherein:

R₂ is:-

- (i) phenyl optionally being substituted in the 3 and/or 4 position by halo, nitro, thiol, haloalkoxy, hydrazido, alkylhydrazido, amino, cyano, haloalkyl, alkylthio, alkenyl, alkynyl, acylamino, tri or difluoromethoxy, carboxy, acyloxy, MeSO₂- or R₁, and optionally substituted at the 6 position by amino, hydroxy, halo, alkyl, carboxy, alkoxycarbonyl, cyano, amido, aminoalkyl, alkoxy or alkylthio;
- (ii) naphth-2-yl optionally substituted at the 6 or 7 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1j} and optionally substituted at the 3 position by amino, hydroxy, halo, alkyl, carboxy, cyano, amido, aminoalkyl, alkoxy or alkylthio;
- (iii) isoquinolin-7-yl, indol-5-yl, indol-6-yl, indazol-5-yl, indazol-6-yl, benzothiazol-6-yl or benzisoxazol-5-yl optionally substituted at the 3 position by halo, haloalkoxy,

haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1j};

- (iv) benzimidazol-5-yl or benzothiazol-6-yl optionally substituted at the 2 position by amino;
- (v) thien-2-yl or thien-3-yl optionally substituted at the 4 or 5 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R1;
- (vi) 3,4-methylenedioxyphenyl, 2,3-dihydroindol-6-yl,
 3,3-dichloro-2-oxo-indol-6-yl or 1-methyl-3-aminoindazol-5-yl;
- (vii) benzothiazol-2-yl, imidazo[1,2-a]pyrimidin-2-yl or tetrahydroimidazo[1,2-a]pyrimidin-2-yl;
- (viii) pyrazol-2-yl optionally substituted at the 5 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R₁;
- (ix) pyrid-2-yl optionally substituted at the 5 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R1;
- (x) pyrid-3-yl optionally substituted at the 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R₁;
- (xi) benzofur-2-yl optionally substituted at the 3 position by amino, hydroxy, halo, alkyl, carboxy, cyano, amido, aminoalkyl, alkoxy or alkylthio and at the 5 or 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1j} ;
- (xii) indol-2-yl optionally substituted on the indole nitrogen atom by alkyl and optionally substituted at the 5 or 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1i};
- (xiii) indol-6-yl substituted at the 5 position by amino, hydroxy, halo, alkyl, carboxy, alkoxycarbonyl, cyano, amido, aminoalkyl, alkoxy or alkylthio and optionally substituted at

the 3 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1i} ; or

(xiv) benzo[b]thiophen-2-yl optionally substituted at the 3 position by amino, hydroxy, halo, alkyl, carboxy, cyano, amido, aminoalkyl, alkoxy or alkylthio and at the 5 or 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1j} ;

with the proviso that R_2 cannot be aminoisoquinolyl; or R_2 is a group of formula (F') or (H')

$$R_{13}$$
 (F')
or
 (H')

wherein X_4 is 0 or S, and R_{13} is selected from hydrogen, fluoro, chloro and methyl;

-X-X- is -CONH-;

R₁ is hydrogen, hydroxy, alkoxy, alkyl, alkylaminoalkyl, alkanoyl, hydroxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkylaminocarbonyl, alkylamino, carboxyl, carboxymethyl, amido or amidomethyl;

R_{1j} is hydrogen, hydroxy, alkoxy, alkyl, alkanoyl, hydroxyalkyl, alkoxyalkyl, alkoxycarbonyl, alkylamino, carboxyl, carboxymethyl, amido or amidomethyl;

Y (the α -atom) is a CH group;

Cy is an optionally R_{3a} substituted: phenyl, pyridyl, thienyl, thiazolyl, naphthyl, piperidinyl, furanyl, pyrrolyl, isoxazolyl, isothiazolyl, pyrazolyl, oxazolyl, imidazolyl, 1,2,4-thiadiazolyl, 1,3,4-thiadiazolyl, pyrimidinyl, pyridazinyl, quinolyl, isoquinolyl, benzofuryl, benzothienyl or cycloalkyl group, or a phenyl group substituted by R_{3i}X_i;


each R_{3a} independently is hydrogen, hydroxyl, alkoxy, aralkyloxy, alkyl, alkylaminoalkyl, hydroxymethyl, carboxy, alkoxyalkyl, alkoxycarbonyl, alkylaminocarbonyl, aminomethyl, CONH₂, CH₂CONH₂, (1-6C)alkanoylamino, alkoxycarbonylamino, amino, halo, cyano, nitro, thiol, alkylthio, alkylsulphonyl, alkylsulphenyl, triazolyl, imidazolyl, tetrazolyl, hydrazido, alkylimidazolyl, thiazolyl, alkylthiazolyl, alkyloxazolyl, oxazolyl, alkylsulphonamido, alkylaminosulphonyl, aminosulphonyl, haloalkoxy, haloalkyl, a group of the formula -C(X³)N(R¹¹)R¹² (wherein X³ is O or S; and R¹¹ and R¹² are independently selected from hydrogen, methyl or ethyl or together with the nitrogen atom to which they are attached form a pyrrolidin-1-yl, piperidin-1-yl or morpholino group), or -OCH₂O- which is bonded to two adjacent ring atoms in Cy;

X_i is a bond, O, NH or CH₂;

 R_{3i} is phenyl, pyridyl or pyrimidinyl optionally substituted by R_{3a} :

and

 $-L-Lp(D)_n$ is of the formula:



in which R_r is -(CH₂)_C-R_C, -CHR_eR_f, -CH₂-CHR_eR_f,
-CH₂-CH₂-CHR_eR_f, or R_g in which c is 1 or 2; R_C is thienyl,
thiazolyl(which may bear an amino substituent), isothiazolyl,
oxazolyl, isoxazolyl, pyrazolyl, imidazolyl, pyridyl (which
may bear an alkylsulphonyl, aminosulphonyl,
alkylaminosulphonyl, alkylaminocarbonyl, amino, amido, (14C)alkoxycarbonyl, carboxy, acetylamino, chloro, fluoro,
cyano, (1-3C)alkyl, trifluoromethyl, methoxy, ethoxy, nitro,
hydroxy, alkylsulphonylamino, triazolyl or tetrazolyl
substituent), pyrimidinyl, pyridazinyl, pyrazinyl or phenyl

(which may bear a methyl; methylamino, dimethylamino, carboxy, dialkylaminosulphonyl, alkylsulphonyl, aminosulphonyl, alkylaminosulphonyl, alkylaminocarbonyl, amino, amido, alkoxycarbonyl, acetylamino, chloro, fluoro, cyano, methoxy, ethoxy, nitro, hydroxy, alkylsulphonylamino, triazolyl or tetrazolyl substituent); each of Re and Rf independently is hydrogen or C1-3alkyl; or CHReRf is cyclopentyl (which may bear a hydroxy, amino, (1-3C)alkoxy, (1-3C)hydroxyalkyl, (1-3C) alkyl, carboxy, methoxycarbonyl or ethoxycarbonyl substituent at the 3- or 4-position), cyclohexyl (which may bear a hydroxy, amino, (1-3C)alkoxy, (1-3C)hydroxyalkyl, (1-3C)hydroxyalkyl, 3C) alkyl, carboxy, methoxycarbonyl or ethoxycarbonyl substituent at the 3- or 4-position), tetrahydropyran-4-yl, tetrahydrothiopyran-4-yl, pyrrolidin-3-yl (which may bear a hydroxy, amino, (1-3C)alkoxy, (1-3C)hydroxyalkyl, (1-3C)alkyl, carboxy, methoxycarbonyl or ethoxycarbonyl substituent at the 1-position), piperidin-4-yl (which may bear a hydroxy, amino, (1-3C) alkoxy, (1-3C) hydroxyalkyl, (1-3C) alkyl, carboxy, methoxycarbonyl or ethoxycarbonyl substituent at the 1position), or indan-2-yl; and R_{o} is 2-methylsulphonylphenyl which may bear a 4-fluoro substituent or R_{σ} is λ^{6} -1,1dioxobenzo[b]thiophen-7-yl;

or a physiologically-tolerable salt thereof; provided that Lp(D)n is not of the formula (K):

$$-so_2$$
 (K)

wherein X2 is fluoro or hydrogen.

2 (previously presented): A compound according to claim 1

R₂ is:-

- (i) phenyl optionally being substituted in the 3 and/or 4 position by halo, nitro, thiol, haloalkoxy, hydrazido, alkylhydrazido, amino, cyano, haloalkyl, alkylthio, alkenyl, alkynyl, acylamino, tri or difluoromethoxy, carboxy, acyloxy, MeSO₂- or R₁, and optionally substituted at the 6 position by amino, hydroxy, halo, alkyl, carboxy, alkoxycarbonyl, cyano, amido, aminoalkyl, alkoxy or alkylthio;
- (ii) naphth-2-yl optionally substituted at the 6 or 7 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{lj} and optionally substituted at the 3 position by amino, hydroxy, halo, alkyl, carboxy, cyano, amido, aminoalkyl, alkoxy or alkylthio;
- (iii) isoquinolin-7-yl, indol-5-yl, indol-6-yl, indazol-5-yl, indazol-6-yl, benzothiazol-6-yl or benzisoxazol-5-yl optionally substituted at the 3 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R1;
- (iv) benzimidazol-5-yl or benzothiazol-6-yl optionally substituted at the 2 position by amino;
- (v) thien-2-yl or thien-3-yl optionally substituted at the 4 or 5 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_1 ;
- (vi) 3,4-methylenedioxyphenyl, 2,3-dihydroindol-6-yl,
 3,3-dichloro-2-oxo-indol-6-yl or l-methyl-3-aminoindazol-5-yl;
- (vii) benzothiazol-2-yl, imidazo[1,2-a]pyrimidin-2-yl or tetrahydroimidazo[1,2-a]pyrimidin-2-yl;
- (viii) pyrazol-2-yl optionally substituted at the 5 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R1;

- (ix) pyrid-2-yl optionally substituted at the 5 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R1;
- (x) pyrid-3-yl optionally substituted at the 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R1;
- (xi) benzofur-2-yl optionally substituted at the 3 position by amino, hydroxy, halo, alkyl, carboxy, cyano, amido, aminoalkyl, alkoxy or alkylthio and at the 5 or 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1i} ;
- (xii) indol-2-yl optionally substituted on the indole nitrogen atom by alkyl and optionally substituted at the 5 or 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1j} ;
- (xiii) indol-6-yl substituted at the 5 position by amino, hydroxy, halo, alkyl, carboxy, alkoxycarbonyl, cyano, amido, aminoalkyl, alkoxy or alkylthio and optionally substituted at the 3 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R₁₁; or
- (xiv) benzo[b]thiophen-2-yl optionally substituted at the 3 position by amino, hydroxy, halo, alkyl, carboxy, cyano, amido, aminoalkyl, alkoxy or alkylthio and at the 5 or 6 position by halo, haloalkoxy, haloalkyl, cyano, nitro, amino, hydrazido, alkylthio, alkenyl, alkynyl or R_{1j} ;


with the proviso that R_2 cannot be aminoisoquinolyl; Cy is an optionally R_{3a} substituted: phenyl, pyridyl, thienyl, thiazolyl, naphthyl, piperidinyl or cycloalkyl group;

each R_{3a} independently is hydrogen, hydroxyl, methoxy, ethoxy, methyl, ethyl, methylaminomethyl, dimethylaminomethyl, hydroxymethyl, carboxy, methoxymethyl, methoxycarbonyl, ethoxycarbonyl, methylaminocarbonyl, dimethylamino-carbonyl,

Serial No. 10/754,923
Response to Office Action of November 26, 2004
aminomethyl, CONH2, CH2CONH2, acetylamino,
methoxycarbonylamino, ethoxycarbonylamino, tbutoxycarbonylamino, amino, fluoro, chloro, cyano, nitro,
thiol, methylthio, methylsulphonyl, ethylsulphonyl,
methylsulphenyl, methylsulphonylamido, ethylsulphonylamido,
methylaminosulphonyl, ethylaminosulphonyl, aminosulphonyl,
trifluoromethoxy or trifluoromethyl;


and

-L-Lp(D)n is of the formula:



in which R_r is $-(CH_2)_C-R_C$, $-CHR_eR_f$, $-CH_2-CHR_eR_f$, or R_g in which c is 1 or 2; R_C is pyridyl or phenyl (which phenyl may bear a fluoro, chloro, methyl, CONH₂, SO₂NH₂, methylaminosulphonyl, dimethylaminosulphonyl, methoxy or methylsulphonyl substituent); each of R_e and R_f independently is hydrogen or C_{1-3} alkyl; or CHR_eR_f is cyclopentyl (which may bear a methyl, ethyl or hydroxymethyl substituent at the 3- or 4-position), cyclohexyl (which may bear a methyl, ethyl or hydroxymethyl substituent at the 3- or 4-position), tetrahydropyran-4-yl, tetrahydrothiopyran-4-yl, pyrrolidin-3-yl (which may bear a 1-methyl substituent), piperidin-4-yl (which may bear a 1-methyl substitutent) or indan-2-yl; and R_g is 2-methylsulphonylphenyl which may bear a 4-fluoro substituent or R_q is λ^6 -1,1-dioxobenzo[b]thiophen-7-yl.

3 (original): A compound according to claim 1 wherein $-L-Lp(D)_n$ is of the formula:



in which R_r is -(CH₂)_C-R_C; in which c is 2; R_C is thienyl, thiazolyl (which may bear an amino substituent), isothiazolyl, oxazolyl, isoxazolyl, pyrazolyl, imidazolyl, pyridyl (which may bear an amino, methoxycarbonyl, carboxy, fluoro, cyano, methyl, methylsulphonyl, aminosulphonyl, methylaminosulfonyl, dimethylaminosulfonyl, or trifluoromethyl substituent), pyrimidinyl, pyridazinyl, pyrazinyl or phenyl (which phenyl may bear a fluoro, chloro, cyano, methyl, amino, methylsulphonyl, aminosulphonyl, methylaminosulphonyl, dimethylaminosulphonyl, methylamino, dimethylamino, carboxy, methoxycarbonyl or methoxy substituent).

4 (previously presented): A compound according to claim 3 wherein Rc is thiazolyl (which may bear an amino substituent), pyrimidinyl, pyrazolyl, imidazolyl, pyridyl (which may bear a methylsulphonyl, aminosulphonyl, methylaminosulfonyl, dimethylaminosulfonyl, fluoro, cyano, methyl or trifluoromethyl substituent), pyridazinyl, pyrazinyl or phenyl (which phenyl may bear a fluoro, chloro, cyano, methyl, amino, methylamino, dimethylamino, carboxy, methoxycarbonyl, methylsulphonyl, aminosulphonyl, methylaminosulfonyl, dimethylaminosulfonyl, or methoxy substituent).

5 (previously presented): A compound according to claim 4 wherein Rc is thiazolyl (which may bear an amino substituent), pyrazolyl, imidazolyl, pyridyl (which may bear a fluoro, cyano, methyl or trifluoromethyl substituent), pyridazinyl or pyrazinyl.

6 (previously presented): A compound according to claim 5 wherein Rc is thiazol-2-yl, 2-aminothiazol-4-yl, pyrazol-1-yl, pyrazol-4-yl, pyridazin-3-yl, imidazol-1-yl, imidazol-4-yl, pyrazin-2-yl, pyrid-2-yl, pyrid-3-yl, pyrid-4-yl, 3-fluoropyrid-4-yl, 2-cyanopyrid-4-yl, 2-methylpyrid-4-yl or 2-trifluoromethylpyrid-6-yl.

7 (currently amended): A compound according to claim 1 wherein L is CO and -Lp(D)n is of the formula:

$$R_3$$

wherein;

m represents 0 or 1;

Xo x^0 -represents CH or N; and

when R₃ is present as a substituent on an aromatic ring, it is selected from hydrogen, alkylsulphonyl, aminosulphonyl, alkylaminosulphonyl, alkylaminocarbonyl, amino, amido, alkoxycarbonyl, acetylamino, chloro, fluoro, cyano, methoxy, ethoxy, nitro, hydroxy, alkylsulphonylamino, triazolyl and tetrazolyl; and

when R₃ is present as a substituent on a saturated ring, it is selected from hydrogen, hydroxy, amino, (1-3C)alkoxy, (1-3C)hydroxyalkyl, (1-3C)alkyl, carboxy, methoxycarbonyl and ethoxycarbonyl.

8 (currently amended): A compound according to claim 7 wherein -Lp(D)n is of the formula:

wherein R₁ is hydrogen, methyl or ethyl or (1 6C)alkyl.

- 9 (previously presented): A compound according to claim 1 wherein R₂ is:-
- (i) phenyl optionally being substituted in the 3 and/or 4 position by fluoro, chloro, bromo, iodo, nitro, difluoromethoxy, trifluoromethoxy, amino, cyano, trifluoromethyl, methylthio, vinyl, carboxy, acetoxy, MeSO₂-, hydroxy, methoxy, ethoxy, methyl, methoxycarbonyl, methylamino, ethylamino or amido, and optionally substituted at the 6 position by amino, hydroxy, fluoro, methoxycarbonyl, cyano or aminomethyl;
- (ii) naphth-2-yl optionally substituted at the 6, position by hydroxy and optionally substituted at the 3 position by amino or hydroxy;
- (iii) isoquinolin-7-yl, indol-5-yl, indol-6-yl, indazol-5-yl, indazol-6-yl, benzothiazol-6-yl or benzisoxazol-5-yl optionally substituted at the 3 position by chloro, bromo, amino, methyl or methoxy;
- (iv) benzimidazol-5-yl or benzothiazol-6-yl optionally substituted at the 2 position by amino;
- (v) thien-2-yl or thien-3-yl optionally substituted at the 4 or 5 position by methylthio, methyl or acetyl;
- (vi) 3,4-methylenedioxyphenyl, 2,3-dihydroindol-6-yl,
 3,3-dichloro-2-oxo-indol-6-yl or 1-methyl-3-aminoindazol-5-yl;
- (vii) benzothiazol-2-yl, imidazo[1,2-a]pyrimidin-2-yl or tetrahydroimidazo[1,2-a]pyrimidin-2-yl;
- (viii) pyrazol-2-yl substituted at the 5 position by
 methyl;
 - (ix) 5-chloropyrid-2-yl;
 - (x) pyrid-3-yl or 6-chloropyrid-3-yl;
- (xi) benzofur-2-yl, 5-chlorobenzofur-2-yl, 3-methylbenzofur-2-yl, 5-methylbenzofur-2-yl or 6-methoxybenzofur-2-yl; (xii) indol-2-yl optionally substituted on the indole nitrogen atom by methyl and optionally

Serial No. 10/754,923
Response to Office Action of November 26, 2004
substituted at the 5 or 6 position by fluoro, chloro, bromo, methyl or methoxy;

(xiii) indol-6-yl substituted at the 5 position by chloro, fluoro or hydroxy and optionally substituted at the 3 position by chloro or methyl; or

(xiv) benzo[b]thiophen-2-yl optionally substituted at the 3 position by fluoro, chloro or methyl, and optionally substituted at the 5 or 6 position by fluoro, chloro, methyl, hydroxy, or methoxy.

10 (previously presented): A compound according to claim 9 wherein R₂ is:-

(i) phenyl, 2-aminophenyl, 3-aminophenyl, 2-amino-4fluorophenyl, 2-amino-4-chlorophenyl, 2-amino-4-nitrophenyl, 2-amino-4-methylphenyl, 3,4-diaminophenyl, 3-amino-4fluorophenyl, 3-amino-4-chlorophenyl, 3-amino-4-bromophenyl, 3-amino-4-hydroxyphenyl, 3-amino-4-carboxymethylphenyl, 3amino-4-methylphenyl, 3-amino-4-methoxyphenyl, 2-fluorophenyl, 4-fluoro-3-cyanophenyl, 3-chlorophenyl, 3-chloro-4hydroxyphenyl, 4-chlorophenyl, 4-chloro-2-hydroxyphenyl, 4chloro-3-hydroxyphenyl, 4-chloro-3-methylphenyl, 4-chloro-3methoxyphenyl, 4-bromophenyl, 4-bromo-3-methylphenyl, 4iodophenyl, 2-cyanophenyl, 3-cyanophenyl, 4-cyanophenyl, 2hydroxyphenyl, 2-hydroxy+4-methoxyphenyl, 3-hydroxyphenyl, 3hydroxy-4-methylphenyl, 2,4-dihydroxyphenyl, 3,4dihydroxyphenyl, 3-hydroxy-4-methoxyphenyl, 4difluoromethoxyphenyl, 4-trifluoromethoxyphenyl, 4trifluoromethylphenyl, 4-methylthiophenyl, 4methoxycarbonylphenyl, 4-acetoxyphenyl, 4methanesulfonylphenyl, 3-methylphenyl, 4-methylphenyl, 4vinylphenyl, 4-methoxyphenyl, 4-ethoxyphenyl, 4-methoxy-3chlorophenyl, 4-methoxy-3-methylphenyl, 3-methylaminophenyl, 4-methylaminophenyl, 4-ethylaminophenyl or 2aminomethylphenyl;

- (ii) naphth-2-yl, 3-aminonaphth-2-yl, 3-hydroxynaphth-2-yl or 6-hydroxynaphth-2-yl;
- (iii) isoquinolin-7-yl, indol-5-yl, indol-6-yl, 3-chloroindol-6-yl, 3-bromoindol-6-yl, 3-methylindol-6-yl, 3-methoxyindol-6-yl, indazol-5-yl, 3-aminoindazol-5-yl, indazol-6-yl, benzothiazol-6-yl, 3-aminobenzisoxazol-5-yl;
- (iv) benzimidazol-5-yl, 2-aminobenzimidazol-5-yl, or benzothiazol-6-yl;
- (v) thien-2-yl, 5-methylthien-2-yl, 5-methylthio-thien-2yl, 5-acetylthien-2-yl or thien-3-yl;
- (vi) 3,4-methylenedioxyphenyl, 2,3-dihydroindol-6-yl,
 3,3-dichloro-2-oxo-indol-6-yl or 1-methyl-3-aminoindazol-5-yl;
- (vii) benzothiazol-2-yl, imidazo[1,2-a]pyrimidin-2-yl or tetrahydroimidazo[1,2-a]pyrimidin-2-yl;

(viii) 5-methylpyrazol-2-yl;

- (ix) 5-chloropyrid-2-yl;
- (x) pyrid-3-yl, 6-chloropyrid-3-yl;
- (xi) benzofur-2-yl, 5-chlorobenzofur-2-yl, 3methylbenzofur-2-yl, 5-methylbenzofur-2-yl, 6-methoxybenzofur2-yl;
- (xii) indol-2-yl, 5-fluoroindol-2-yl, 5-chloroindol-2-yl, 5-methylindol-2-yl, 5-methoxindol-2-yl, 6-methoxyindol-2-yl and 1-methyl-indol-2-yl;
 - (xiii) 5-fluoroindol-6-yl; or
- (xiv) benzo[b]thiophen-2-yl, 5-chloro- benzo[b]thiophen-2-yl or 6-chlorobenzo[b]thiophen-2-yl.
- 11 (previously presented): A compound according to claim 1 wherein R_2 is selected from one of the formula (A') to (H'):

$$R_{14}$$
 R_{15}
 R_{13}
 R_{14}
 R_{15}
 R

wherein X_4 is O or S, R_{13} is selected from hydrogen, fluoro [except for (C')], chloro or methyl and R_{14} is selected from hydrogen, methyl, ethyl, fluoro, chloro, and methoxy and R_{15} is selected from hydrogen, methyl, fluoro, chloro and amino.

12 (previously presented): A compound according to claim 11, wherein R₂ is 4-chlorophenyl, 4-methoxyphenyl, 3-amino-4-chlorophenyl, indol-2-yl, 5-chloroindol-2-yl, indol-6-yl, 3-chloroindol-6-yl or 3-methylindol-6-yl.

- 13 (canceled):
- 14 (canceled):
- 15 (canceled):
- 16 (canceled):
- 17 (canceled):
- 18 (canceled):

19 (previously presented): A compound according to claim 1 wherein Raa is selected from hydrogen, hydroxyl, methoxy, ethoxy, methyl, ethyl, methylaminomethyl, dimethylaminomethyl, hydroxymethyl, carboxy, methoxymethyl, methoxycarbonyl, ethoxycarbonyl, methylaminocarbonyl, dimethylamino-carbonyl, aminomethyl, CONH2, CH2CONH2, acetylamino, methoxycarbonylamino, ethoxycarbonylamino, tbutoxycarbonylamino, amino, fluoro, chloro, bromo, cyano, nitro, thiol, methylthio, methylsulphonyl, ethylsulphonyl, methylsulphenyl, methylsulphonylamido, ethylsulphonylamido, methylaminosulphonyl, ethylaminosulphonyl, aminosulphonyl, trifluoromethoxy, trifluoromethyl, bromo, -OCH2O- (which is bonded to two adjacent ring atoms in Cy) and $-C(X^3)N(R^{11})R^{12}$ (wherein X^3 is O or S and R^{11} and R^{12} are independently selected from hydrogen, methyl or ethyl or together with the nitrogen atom to which they are attached form a pyrrolidin-1yl, piperidin-1-yl or morpholino group).

20 (canceled):

21 (previously presented): A compound according to claim 1 wherein Cy is selected from:

wherein:

X' is selected from O, S and NMe;

X'' is selected from O and S;

X'" is selected from O, S, NH and NMe;

Y' is selected from hydrogen, amino and methyl;

R_O is selected from hydrogen, methyl, fluoro, chloro, trifluoromethyl, methoxy, methylthio, methylsulphinyl and methylsulphonyl;

R_m is selected from hydrogen, methyl, fluoro, chloro, trifluoromethyl, methoxy, methylthio, methylsulphinyl, methylsulphonyl, carboxy, methoxycarbonyl and a group of the

formula $-C(X^3)N(R^{11})R^{12}$ (wherein X^3 is 0 or S and R^{11} and R^{12} are independently selected from hydrogen, methyl or ethyl or together with the nitrogen atom to which they are attached form a pyrrolidin-1-yl, piperidin-1-yl or morpholino group); R_p is selected from hydrogen and fluoro; or R_0 and R_m or R_m and R_p form an $-OCH_2O$ - group; or R_0 and R_m together with the ring to which they are attached form a 5 or 6 membered aryl or heteroaryl ring (wherein the heteroary ring contains 1 or 2 heteroatoms selected from nitrogen, oxygen and sulfur); and

one of Rol and Ro2 is hydrogen and the other is Ro.

22 (previously presented): A compound according to claim 1 wherein Cy is selected from phenyl, 2-chlorophenyl, 2-methoxyphenyl, 4-carbamoylphenyl, pyrid-2-yl, pyrid-4-yl, thien-2-yl, thien-3-yl, furan-2-yl, furan-3-yl, imidazol-2-yl, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl and quinolin-4-yl.

23 (previously presented): A compound of the formula:

wherein Cy, R_2 and R_C are as defined in any one of claims 1 to 6, 9 to 12, 19 and 21 to 22.

24 (previously presented): A compound of the formula:

```
Serial No. 10/754,923
Response to Office Action of November 26, 2004
wherein Cy and R2 are as defined in any one of claims 1 to 2,
9 to 12, 19 and 21 to 22.
25 (canceled):
26 (previously presented): A compound as claimed in Claim
1, which is selected from:
1-(Indole-6-carbonyl-D-phenylglycinyl)-4-[2-(4-pyridinyl)-
ethyl]piperazine;
1-(3-Chloroindole-6-carbonyl-D-phenylglycinyl)-
4-[2-(4-pyridinyl)ethyl]piperazine;
1-(4-Methoxybenzoyl-D-phenylglycinyl)-4-(1-methylpiperidin-4-
yl)piperazine;
1-(4-Methoxybenzoyl-D-(2-chlorophenyl)glycinyl)-4-(1-methyl-
piperidin-4-yl)piperazine;
1-(Indole-6-carbonyl-D-(2-chlorophenyl)glycinyl)-4-(1-methyl-
piperidin-4-yl)piperazine; and
1-(4-Methoxybenzoyl-D-(2-trifluoromethylphenyl)glycinyl)-4-(1-
methylpiperidin-4-yl)piperazine;
and physiologically-tolerable salts thereof.
27 (previously presented): A pharmaceutical composition,
which comprises a compound as claimed in claim 1 together with
at least one pharmaceutically acceptable carrier or excipient.
28 (canceled):
29 (canceled):
```

30 (previously presented): A method of treatment of a human or non-human animal body to combat a thrombotic disorder selected from venous thrombosis, pulmonary embolism, arterial thrombosis, myocardial ischaemia, myocardial infarction and

cerebral thrombosis, which comprises administering to said body an effective amount of a compound as claimed in claim 1.

- 31 (canceled):
- 32 (canceled):
- 33 (previously presented): A compound of the formula

or a salt thereof in which Cy is as defined in any one of claims 1, 21 and 22.

34 (previously presented): A compound as claimed in any one of claims 1 to 1213, 19 and 21 to 22, wherein the alpha atom in Y is earbon and has the conformation that would result from construction from a D- α -aminoacid NH₂-CH(Cy)-COOH where the NH₂ represents part of X-X.

35 (previously presented): A pharmaceutical composition, which comprises a compound as claimed in claim 34 together with at least one pharmaceutically acceptable carrier or excipient.

36 (previously presented): A method of treatment of a human or non-human animal body to combat a thrombotic disorder selected from venous thrombosis, pulmonary embolism, arterial thrombosis, myocardial ischaemia, myocardial infarction and cerebral thrombosis, which comprises administering to said body an effective amount of a compound as claimed in claim 34.

37 (previously presented): A method as claimed in claim 36 in which said human or non-human animal body is a human body.

38 (new) A compound as claimed in claim 33, in which the carbon atom bearing Cy has the conformation that would result from construction from a D- α -aminoacid NH₂-CH(Cy)-COOH.

39 (new) A compound as claimed in claim 38, in which Cy is a phenyl group.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
	☐ BLACK BORDERS
	☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
l'	☐ FADED TEXT OR DRAWING
	BLURRED OR ILLEGIBLE TEXT OR DRAWING
	☐ SKEWED/SLANTED IMAGES
	☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
	☐ GRAY SCALE DOCUMENTS
	☐ LINES OR MARKS ON ORIGINAL DOCUMENT
	☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
	OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.